

PATENT APPLICATION TRANSMITTAL LETTER

ATTY. DOCKET NO.:
Farhang 3-2/LUC-295

TO THE ASSISTANT COMMISSIONER OF PATENTS AND TRADEMARKS:

Transmitted herewith for filing to the patent application of: Farhang et al.

for: ASSIGNMENT OF NUMBER TO MOBILE STATION THAT ALLOWS CONNECTION TO THE
MOBILE STATION OF CALL THAT EMPLOYS THE NUMBER

Enclosed are:

Title page stamped with Certificate of Express Mail
26-page Specification and Claims
2-sheets Informal Drawings
5-page Non-Executed Declaration
1 Return Receipt Postcard

FOR	NUMBER FILED	NUMBER EXTRA	RATE	BASIC FEE \$ 710.00
TOTAL CLAIMS	24-20	4	x \$ 18.00	\$72.00
INDEPENDENT CLAIMS	6-3 =	3	x \$ 80.00	\$240.00
ADDITIONAL FEE FOR USE OF MULTIPLE DEPENDENT CLAIM(S) (once per application)			x \$250.00	
			TOTAL FILING FEE	\$1022.00
			TOTAL	\$1022.00

☒ Original

Continuation-in-part of Serial No. _____

Transfer the drawing(s) from the pending prior application to the application and abandon said prior application as of the filing date accorded this is application. An extra (4th) copy of this sheet is enclosed for filing in the prior application file.

☒ Please charge \$1022.00 to the Lucent Deposit Account No. 12-2325.

A check in the amount of \$_____ to cover the filing fee is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication credit any overpayment to Deposit Account No. 12-2325.

(A duplicate copy of this sheet is enclosed.)

☒ Any additional filing fees required using 37 CFR 1.16.☒ Any patent application processing fees under 37 CFR 1.17.October 13, 2000
DateRobert J. Brill
Attorney of Record
Reg. No. 36,760Robert J. Brill
Signature

SEND CORRESPONDENCE TO:

Carmen B. Patti
Wildman, Harrold, Allen & Dixon
225 West Wacker Drive
Chicago, Illinois 60606

CERTIFICATE OF EXPRESS MAIL

'Express Mail' mailing label number: EL041357375US

Date of Deposit: October 13, 2000

I hereby certify that this paper or fee is being deposited with
the United States Postal Services 'Express Mail Post Office to
Addressee' on the date indicated above and is addressed to the
Assistant Commissioner for Patents, Washington, D.C. 20231.

LEONORA PETROWSKI

APPLICATION FOR
UNITED STATES LETTERS PATENT
FOR

ASSIGNMENT OF NUMBER TO MOBILE STATION THAT ALLOWS CONNECTION
TO THE MOBILE STATION OF CALL THAT EMPLOYS THE NUMBER

By

Bijan Farhang and John J. MacNamara

CERTIFICATE OF EXPRESS MAIL


'Express Mail' mailing label number:

EL 0413 573 75US

Date of Deposit: OCTOBER 13, 2000

I hereby certify that this paper or fee is being deposited with
the United States Postal Services 'Express Mail Post Office to
Addressee' on the date indicated above and is addressed to the
Assistant Commissioner for Patents, Washington, D.C. 20231.

LEANORA PETROWSKI



TECHNICAL FIELD

10

10

10

15

20

SUMMARY

Pursuant to one embodiment of the invention, shortcomings of the existing art are overcome and additional advantages are provided through the provision of assignment of a number to a mobile station that allows connection to the mobile station of a call that employs the number.

The invention in one embodiment encompasses a method. A first number is assigned to a mobile station that upon location of the mobile station at a first location allows connection to the mobile station of a call that employs the first number. A second number is assigned to the mobile station that upon location of the mobile station at a second location allows connection to the mobile station of a call that employs the second number. The second number differs from the first number. The second location differs from the first location.

Another embodiment of the invention encompasses a system. The system includes a controller component that assigns a first number to a mobile station that upon location of the mobile station at a first location allows connection to the mobile station of a call that employs the first number. The system includes a controller component that assigns a second number to the mobile station that upon location of the mobile station at a second location allows connection to the mobile station of a call that employs the second number. The second number differs from the first number. The second location differs from the first location.

A further embodiment of the invention encompasses an article. The article includes a computer-readable signal-bearing medium. The article includes means in the medium for assigning a first number to a mobile station that upon location of the mobile station at a first location allows connection to the mobile station of a call that employs the first number. The article includes means in the medium for assigning a second number to the mobile station that

upon location of the mobile station at a second location allows connection to the mobile station of a call that employs the second number. The second number differs from the first number. The second location differs from the first location.

An additional embodiment of the invention encompasses a method. A number is assigned to a mobile station that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number. The number is selected to comprise fewer than seven digits.

Yet another embodiment of the invention encompasses a system. The system includes a controller component that assigns to a mobile station a number that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number. The system includes a controller component that selects the number to comprise fewer than seven digits.

A still further embodiment of the invention encompasses an article. The article includes a computer-readable signal-bearing medium. The article includes means in the medium for assigning to a mobile station a number that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number. The article includes means in the medium for selecting the number to comprise fewer than seven digits.

These and other features and advantages of one embodiment of the invention will become apparent from the following detailed description, the accompanying drawings, and the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a functional block diagram of one example of a system that includes a plurality of different locations for a mobile station and a plurality of different numbers for the mobile station.

5 FIG. 2 is a functional block diagram of another example of the system of FIG. 1 that includes a number for the mobile station that comprises fewer than seven digits.

DETAILED DESCRIPTION

10 In one embodiment of the invention, first and second different numbers are assigned to a mobile station. The first number, upon location of the mobile station at a first location, allows connection to the mobile station of a call that employs the first number. The second number, upon location of the mobile station at a second location different from the first location, allows connection to the mobile station of a call that employs the second number.

15 In another embodiment of the invention, a number selected to comprise fewer than seven digits is assigned to a mobile station. The number, upon location of the mobile station at any one or more of a temporary user zone and a base user zone, allows connection to the mobile station of a call that employs the number.

A detailed discussion of one example of the invention is presented herein, for illustrative purposes.

20 Turning to FIG. 1, system 100, in one example, includes a plurality of components such as computer software and/or hardware components. A number of such components can be combined or divided in one example of system 100. System 100 in one example employs at least one computer-readable signal-bearing medium. One example of a computer-readable

signal-bearing medium for system 100 comprises an instance of recordable data storage medium 102 such as one or more of a magnetic, optical, biological, and atomic data storage medium. In another example, a computer-readable signal-bearing medium for system 100 comprises a modulated carrier signal transmitted over a network comprising or coupled with system 100, for instance, one or more of a telephone network, a local area network (“LAN”), the Internet, and a wireless network. An exemplary component of system 100 employs and/or comprises a series of computer instructions written in or implemented with any of a number of programming languages, as will be appreciated by those skilled in the art.

Referring again to FIG. 1, system 100 in one example comprises one or more components, for example, controller 104, user 106, and caller 108. Controller 104 in one example comprises a mobile switching center (“MSC”) and/or a service provider. User 106 in one example comprises mobile station 110 and/or operator 112. Mobile station 110 in one example comprises a wireless telephone and/or a cellular telephone. Operator 112 in one example comprises a mobile subscriber (“MS”) and/or a human operator.

Further referring to FIG. 1, user 106 in one example occupies any one of a plurality of instances of location 114. Exemplary instances of location 114 comprise locations 116, 118, 119, and 120. Locations 116, 118, 119, and 120 in one example comprise noncontiguous locations.

Referring still to FIG. 1, one or more instances of location 114 in one example comprise an instance of user zone 121. User zone 121 in one example comprises a geographical location for which controller 104 offers a special billing rate, for example, billing rate 123, and/or a specific set of features, for instance, private dialing plan, as

described herein. In one example, controller 104 defines one or more instances of user zone 121.

Again referring to FIG. 1, in one example, an instance of location 114 comprises user zone 121. For example, user zone 121 comprises a room or hall in a corporate complex, academic campus, resort, hotel, or the like. In another example, a plurality of instances of location 114 comprise an instance of user zone 121. For example, user zone 121 comprises one or more of a corporate complex, academic campus, resort, hotel, and recreational, eating, and sleeping facility including, for instance, buildings, rooms, walkways, streets, parks, courts, lots, and the like.

Further referring to FIG. 1, controller 104 in one example employs a discounted billing rate such as billing rate 123 in user zone 121. For example, controller 104 applies billing rate 123 for termination and/or origination of an instance of call 139 at any instance of location 114 that comprises user zone 121. Exemplary instances of user zone 121 comprise user zones 122, 124, and 128. User zones 122, 124, and 128 in one example comprise noncontiguous user zones. Billing rate 123 in one example comprises a discounted local or discounted long-distance billing rate. Exemplary instances of call 139 comprise calls 140, 146, and 206.

Again referring to FIG. 1, location 116 in one example comprises user zone 122. User zone 122 in one example comprises base user zone 150. Base user zone 150 in one example comprises business user zone 152 and/or home user zone 154. Business user zone 152 in one example comprises a user zone that user 106 occupies while operator 112, for example, works for a business organization, for instance, that has ownership rights to a plurality of instances of location 116 that comprise business user zone 152.

Referring further to FIG. 1, home user zone 154 in one example comprises a user zone that user 106 occupies as a residence or dwelling. In one example, user 106 occupies user zone 154 while operator 112, for example, employs a plurality of instances of location 116 that comprise home user zone 154 to engage in activities such as eating, sleeping, relaxing, socializing, and telecommuting, for instance, to business user zone 152.

Still referring to FIG. 1, location 118 in one example comprises user zone 124. User zone 124 in one example comprises an instance of temporary user zone 125. Temporary user zone 125 in one example comprises a user zone that user 106 infrequently and/or temporarily occupies. Exemplary instances of temporary user zone 125 comprise temporary user zones 126 and 130. Temporary user zones 126 and 130 in one example comprise noncontiguous temporary user zones, for example, that are noncontiguous with base user zone 150 and public area 142.

Referring further to FIG. 1, user zone 124 in one example comprises temporary user zone 126. Temporary user zone 126 in one example comprises a user zone that user 106 occupies while operator 112, for example, attends a conference that is located away from user zone 122. For example, temporary user zone 126 comprises a plurality of instances of location 118 that are distinct from base user zone 150 and that comprise a host site and/or city for a conference.

Still referring to FIG. 1, location 120 in one example comprises user zone 128. User zone 128 in one example comprises temporary user zone 130. Temporary user zone 130 in one example comprises a user zone that user 106 occupies while operator 112, for example, vacations away from user zone 122.

Further referring to FIG. 1, caller 108 in one example comprises station 132 and/or operator 134. Station 132 in one example comprises one or more of a wireline telephone, a wireless telephone, a cellular telephone, and a mobile telephone. Operator 134 in one example comprises one or more of a mobile subscriber ("MS"), a customer of the public switched telephone network ("PSTN"), and a human operator.

Referring again to FIG. 1, controller 104 in one example assigns numbers 136 and 138 to mobile station 112. Numbers 136 and 138 in one example comprise different numbers. In one example, numbers 136 and 138 comprise exemplary instances of a mobile directory number ("MDN").

Referring still to FIG. 1, number 136 in one example comprises a normal business number for mobile station 112. For example, operator 134 inputs number 136 to station 132 to place call 140 to user 106. Controller 104 in one example allows connection of call 104 from caller 108 to user 106 when user 106 occupies location 116 and/or user zone 122, or location 119 and/or public area 142.

Again referring to FIG. 1, public area 142 in one example comprises an area that is distinct from user zone 122 and temporary user zones 126 and 130. In one example, public area 142 is noncontiguous with locations 116, 118, and 120, user zones 122, 124, and 128, and temporary user zones 126 and 130. In one example, public area 142 comprises a plurality of instances of location 119 for which controller 104 applies a standard and/or normal billing rate such as billing rate 127.

For example, referring to FIG. 1, controller 104 applies billing rate 127 to call 140 that controller 104 connects from caller 108 to user 106 when user 106 is located in public area 142. Billing rate 127 in one example comprises a non-discounted local or non-discounted

long-distance billing rate. In one example, billing rate 127 is greater than billing rate 123. For instance, controller 104 applies non-discounted long-distance charges to call 140 that controller 104 connects from caller 108 to user 106 when user 106 occupies public area 142.

Referring further to FIG. 1, controller 104 in one example advantageously disallows connection of call 140 to user 106 when user 106 occupies any of locations 118 and 120 and/or temporary user zones 126 and 130. For example, if user 106 occupies any one of temporary user zones 126 and 130 when caller 108 places call 140 that employs number 136, then controller 104 advantageously directs call 140 to voice mail 144 of user 106.

Still referring to FIG. 1, operator 134 in one example inputs number 138 to station 132 to place call 146 to user 106. Controller 104 in one example advantageously allows connection of call 146 to user 106 when user 106 occupies any one of locations 118 and 120. For example, controller 104 advantageously allows connection of call 146 from caller 108 to user 106 when user 106 occupies any one of temporary user zones 126 and 130. In a further example, controller 104 advantageously applies billing rate 123 to call 146 that controller 104 connects from caller 108 to user 106 when user 106 occupies any one of locations 118 and 120. In one example, billing rate 123 is less than billing rate 127. For instance, controller 104 applies discounted charges to call 146 that controller 104 connects from caller 108 to user 106 when user 106 occupies any one of locations 118 and 120. In a still further example, when user 106 occupies public area 142, controller 104 directs to voice mail 144 call 146 to user 106 from caller 108 that employs number 138.

Again referring to FIG. 1, controller 104 in one example advantageously allows only instances of call 139 that employ number 138 such as call 146 to be originated and/or terminated at instances of location 114 of instances of temporary user zone 125.

In one example, referring to FIG. 1, user 106 informs only a select group 109 of callers 108 of an availability of number 138 for employment to reach user 106 upon location in user zones 124 and 128. User 106 in one example desires privacy while user 106 is located in an instance of temporary user zone 125. Controller 104 in one example advantageously applies billing rate 123 to select group 109 of callers 108 for calling user 106 through employment of number 138 in call 146 to user 106 upon location of user 106 in an instance of temporary user zone 125. In another example, controller 104 desirably disallows caller 108 that employs number 136 in call 140 from disturbing user 106 when user 106 is located in an instance of temporary user zone 125.

Turning to FIG. 2, number 202 in one example comprises a number having fewer than seven digits. For example, number 202 comprises abbreviated number 204. For instance, number 202 comprises a private dialing plan number that comprises, for example, one, two, three, four, five, or six digits.

Again referring to FIG. 2, operator 134 in one example inputs number 202 to station 132 to place an instance of call 139 such as call 206 to user 106. Controller 104 in one example allows connection of call 206 to user 106 when user 106 occupies a location in any one or more of user zones 122, 124, and 128. In a further example, controller 104 applies a discounted billing rate such as billing rate 123 to call 206 when user 106 occupies any one or more of instances of temporary user zone 125 such as temporary user zones 126 and 130.

Referring further to FIG. 2, when user 106 occupies public area 142, controller 104 in one example directs to voice mail 144 call 206 that employs number 202.

An illustrative description of one detailed example is now presented, for explanatory purposes.

Referring again to FIG. 1, in one example, user 106 comprises a subscriber, controller 104 comprises a service provider, mobile station 112 comprises a phone, number 136 comprises 630-979-1111, and number 138 comprises 630-979-2222. For example, the subscriber purchases the phone, the service provider assigns the numbers 630-979-1111 and 630-979-2222 to the phone of the subscriber, and the service provider defines one or more instances of user zone 121.

Still referring to FIG. 1, the number 630-979-1111 can be used to locate the subscriber all across a country, for example, the United States. The service provider can assign user zones (e.g., a plurality of instances of user zone 121) to the subscriber, and on a permanent basis add these user zones to a subscriber database of the service provider. If the subscriber is located in any of the user zones, then the subscriber can benefit from a specific billing rate and a set of features assigned to that user zone.

Further referring to FIG. 1, the service provider can define temporary user zones (e.g., a plurality of instances of temporary user zone 125) across the country for the purpose of conferences, vacations, and/or the like. For a specific subscriber, these temporary user zones in one example are assigned to the subscriber database of the service provider on a temporary basis. For example, the temporary user zones are not assigned to the subscriber database on a permanent basis for the specific subscriber. Upon request from the subscriber in areas in which these temporary user zones are available, the subscriber can take advantage of a temporary user zone on a temporary basis.

Again referring to FIG. 1, the number 630-979-2222 in one example can be assigned to the subscriber for use only within the temporary user zones. As a result, the subscriber can only be reached via 630-979-2222 within the scope of these temporary user zones. This

provides them with privacy in receiving only selected calls while they are staying in the temporary user zones.

Referring still to FIG. 1, the number 630-979-1111 in one example can be used to reach the subscriber all over the country, except in the temporary user zones. Only the number 630-979-2222 can be used to reach the subscriber within the temporary user zones. If one tries to reach the subscriber located in a temporary user zone via 630-979-1111, then the call will be forwarded to voice mail 144 for the subscriber. In addition, if one tries to reach the subscriber via 630-979-2222 when the subscriber is outside a temporary user zone, then the call will be forwarded to voice mail 144 for the subscriber.

In a further example, referring to FIG. 2, a private dialing plan can be assigned to a user zone. For example, each permanent user zone and each temporary user zone for a subscriber can have a private dialing plan. The private dialing plan assigned to a temporary user zone can be the same as a private dialing plan assigned to a permanent user zone, or different from the private dialing plan assigned to a permanent user zone. These private dialing plans, for example, provide the subscriber with an ability to use abbreviated numbers for origination purposes.

The flow diagrams depicted herein are just exemplary. There may be many variations to these diagrams or the steps or operations described therein without departing from the spirit of the invention. For instance, the steps may be performed in a differing order, or steps may be added, deleted, or modified.

Although exemplary embodiments of the invention have been depicted and described in detail herein, it will be apparent to those skilled in the relevant art that various modifications, additions, substitutions, and the like can be made without departing from the

CLAIMS

What is claimed is:

1. A method, comprising the steps of:

assigning a first number to a mobile station that upon location of the mobile station at

5 a first location allows connection to the mobile station of a call that employs the first number;
and

assigning a second number to the mobile station that upon location of the mobile
station at a second location allows connection to the mobile station of a call that employs the
second number, wherein the second number differs from the first number, wherein the second
10 location differs from the first location.

2. The method of claim 1, wherein the step of assigning the second number to the
mobile station that upon location of the mobile station at the second location allows
connection to the mobile station of the call that employs the second number comprises the
step of selecting the second location to comprise a location that is noncontiguous with the first
15 location.

3. The method of claim 1, wherein the step of assigning the first number to the mobile station that upon location of the mobile station at the first location allows connection to the mobile station of the call that employs the first number comprises the step of selecting the first number to correspond to a first user zone that comprises the first location; and

5 wherein the step of assigning the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises the step of selecting the second number to correspond to a second user zone that comprises the second location, wherein the second user zone differs from the first user zone.

10 4. The method of claim 1, wherein the step of assigning the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises the step of selecting a discounted billing rate for the call that employs the second number.

15 5. The method of claim 1, wherein the step of assigning the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises the step of selecting the second number to allow only calls that employ the second number to be, contemporaneously with location of the mobile station in a temporary user zone that comprises the second location, originated and/or terminated in the temporary user zone.

6. The method of claim 1, wherein the step of assigning the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises the step of directing to voice mail, upon location of the mobile station at the second location, a
5 call that employs the first number.

7. The method of claim 1, wherein the step of assigning the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises the step of assigning a particular number to the mobile station that upon location of the mobile
10 station at any one of a plurality of locations allows connection to the mobile station of a call that employs the particular number, wherein the particular number differs from the first number, wherein each location of the plurality of locations differs from the first location.

8. A system, comprising:

a controller component that assigns a first number to a mobile station that upon location of the mobile station at a first location allows connection to the mobile station of a call that employs the first number; and

5 a controller component that assigns a second number to the mobile station that upon location of the mobile station at a second location allows connection to the mobile station of a call that employs the second number, wherein the second number differs from the first number, wherein the second location differs from the first location.

10 9. The system of claim 8, the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that selects the second location to comprise a location that is noncontiguous with the first location.

10. The system of claim 8, wherein the controller component that assigns the first number to the mobile station that upon location of the mobile station at the first location allows connection to the mobile station of the call that employs the first number comprises a controller component that selects the first number to correspond to a first user zone that
 5 comprises the first location; and

wherein the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that selects the second number to correspond to a second user zone that comprises the second
 10 location, wherein the second user zone differs from the first user zone.

11. The system of claim 8, wherein the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that selects a discounted billing rate for the call that
 15 employs the second number.

12. The system of claim 8, wherein the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that selects the second number to allow only calls that
 20 employ the second number to be, contemporaneously with location of the mobile station in a temporary user zone that comprises the second location, originated and/or terminated in the temporary user zone.

13. The system of claim 8, wherein the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that directs to voice mail, upon location of the mobile station at the second location, a call that employs the first number.

14. The system of claim 8, wherein the controller component that assigns the second number to the mobile station that upon location of the mobile station at the second location allows connection to the mobile station of the call that employs the second number comprises a controller component that assigns a particular number to the mobile station that upon location of the mobile station at any one of a plurality of locations allows connection to the mobile station of a call that employs the particular number, wherein the particular number differs from the first number, wherein each location of the plurality of locations differs from the first location.

16. A method, comprising the steps of:

assigning to a mobile station a number that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number; and

5 selecting the number to comprise fewer than seven digits.

17. The method of claim 16, wherein the step of assigning to the mobile station the number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of the call that employs the number comprises the step of selecting the temporary user zone to comprise a user zone
10 that is noncontiguous with the base user zone.

18. The method of claim 16, wherein the step of assigning to the mobile station the number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of the call that employs the number and the step of selecting the number to comprise fewer than seven digits comprise
15 the steps of:

selecting the number to comprise an abbreviated number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of a call that employs the abbreviated number; and

selecting the abbreviated number to comprise fewer than seven digits.

20. A system, comprising:

a controller component that assigns to a mobile station a number that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number; and

5 a controller component that selects the number to comprise fewer than seven digits.

21. The system of claim 20, wherein the controller component that assigns to the mobile station the number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of the call that employs the number comprises a controller component that selects the temporary
10 user zone to comprise a user zone that is noncontiguous with the base user zone.

22. The system of claim 20, wherein the controller component that assigns to the mobile station the number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of the call that employs the number and the controller component that selects the number to
15 comprise fewer than seven digits:

a controller component that selects the number to comprise an abbreviated number that upon location of the mobile station at the any one or more of the temporary user zone and the base user zone allows connection to the mobile station of a call that employs the abbreviated number; and

20 a controller component that selects the abbreviated number to comprise fewer than seven digits.

ASSIGNMENT OF NUMBER TO MOBILE STATION THAT ALLOWS CONNECTION TO THE MOBILE STATION OF CALL THAT EMPLOYS THE NUMBER

ABSTRACT

5 A controller component of one embodiment of a system assigns a first number to a mobile station that upon location of the mobile station at a first location allows connection to the mobile station of a call that employs the first number. A controller component of the system assigns a second number to the mobile station that upon location of the mobile station at a second location allows connection to the mobile station of a call that employs the second

10 number. The second number differs from the first number. The second location differs from the first location. In another embodiment, a controller component of a system assigns to a mobile station a number that upon location of the mobile station at any one or more of a temporary user zone and a base user zone allows connection to the mobile station of a call that employs the number. A controller component of the system selects the number to comprise

15 fewer than seven digits.

100




FIG. 1




FIG. 2

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe the below named inventors are the original, first and sole inventors of the subject matter which is claimed and for which a patent is sought on the invention **ASSIGNMENT OF NUMBER TO MOBILE STATION THAT ALLOWS CONNECTION TO THE MOBILE STATION OF CALL THAT EMPLOYS THE NUMBER** the specification of which *is attached hereto*.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

I acknowledge the duty to disclose all information known to me which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

I hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

OFFICE OF THE COMMISSIONER

[illegible]

Thomas J. Bean	(Reg. No. 44528)
Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. 41736)
Martin I. Finston	(Reg. No. 31613)
William S. Francos	(Reg. No. 38456)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Matthew J. Hodulik	(Reg. No. 36164)
Michael B. Johannesen	(Reg. No. 35557)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
John B. MacIntyre	(Reg. No. 41170)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Ferdinand M. Romano	(Reg. No. 32752)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Ozer M. N. Teitelbaum	(Reg. No. 36698)
John P. Veschi	(Reg. No. 39058)

(Reg. No. 29355)
(Reg. No. 27407)
(Reg. No. 36304)
(Reg. No. 17765)

Full name of 1st joint inventor: Bijan Farhang

Residence: Naperville, DuPage County, Illinois

Post Office Address: 1148 George Lane
Naperville, Illinois 60540

[illegible]

Full name of 2nd joint inventor: John J. MacNamara

Inventor's
signature _____ Date _____

Residence: Orland Park, Cook County, Illinois

Citizenship: USA

Post Office Address: 14001 Creek Crossing
Orland Park, Illinois 60467

OFFICE OF THE COMPTROLLER

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

Telephone calls should be made to Wildman, Harrold, Allen & Dixon at:

Fax No.: 312/201.2555

Carmen B. Patti
Wildman, Harrold, Allen & Dixon
225 West Wacker Drive
Chicago, Illinois 60606